

metabo



www.metabo.com

Tools, accessories and service - from Nürtingen, Germany

In every Metabo tool there is traditional German engineering ingenuity. Since 1924 we have been developing innovative ideas in our Nürtingen plant and have been implementing them into pioneering tools and perfect accessories for professional users directly on site. Our service, tailor-made to your requirements, also makes us a strong partner for the industrial sector.



Mould construction



Plastic injection moulding



Motor production



Mechanical production



Steel parts with
hardening plant



Engineering



Aluminium foundry



Assembly





Cordless Drill BE 18 LTX 6



600261

18 V / 0 - 5000 rpm / 4 Nm

Steel : 6 mm

Soft wood : 12 mm

Drill BE 650



600741850

650 W / 320 W / 1500 rpm

Steel : 13 mm

Soft Wood : 30 mm

Drill BE 850-2



600573810

850 W / 490 W / 0 - 1100 / 0 - 3100 rpm / 36 / 14 Nm

Steel : 13 / 8 mm

Soft wood : 40 / 25 mm

Drill BEV 1300 - 2



600574810

1300 W / 730 W / 0 - 1100 / 0 - 3100 rpm / 44 / 16 Nm

Steel : 16 / 10 mm

Soft wood : 40 / 25 mm

Drill BE 75-16



600580000

750 W / 470 W / 0 - 660 rpm / 75 Nm

Steel : 16 mm

Soft wood : 50 mm

Drill BDE 1100



600806000

1100 W / 620 W / 0 - 640 / 0 - 1200 rpm 55 / 22 Nm

Steel : 16 / 10 mm

Soft wood : 40 / 25 mm

Angle Drill WBE 700



600512000

700 W / 305 W / 850 - 2600 rpm / 8 Nm

Steel : 10 mm

Soft wood : 25 mm

Drill B 32 / 3



600323000

1750 W / 1200 W / 0 - 170 / 0 - 320 / 0 - 470 rpm / 190 / 120 / 90 Nm

Steel : 32 mm

Soft wood : 70 mm

Magnetic Core Drill MAG 32



600635500

1000 W / 520 W / 700 rpm / 50 Nm

Core drill : 32 mm

Spiral drill : 13 mm

Drilling depth : 50 mm

Magnetic Core Drill MAG 50



600636500

1200 W / 620 W / 100 - 250 / 200 - 450 rpm 90 / 50 Nm

Core drill : 50 mm

Spiral drill : 20 mm

Drilling depth : 50 mm

**Impact Drill
SBE 650**



600742500

650 W / 320 W / 44800 bpm / 10 Nm

Masonry : 16 mm

Concrete : 14 mm

Steel : 13 mm

Soft wood : 30 mm

**Impact Drill
SBE 760**



600841500 / 600841610

760 W / 0 - 1200 / 0 - 3200 rpm /
24 / 9 Nm

Masonry : 18 mm

Concrete : 16 mm

Steel : 13 / 8 mm

Soft wood : 40 / 25 mm

**Impact Drill
SBE 800-2**



601744500

800 W / 0 - 1200 / 0 - 3200 rpm

Masonry : 20 mm

Concrete : 18 mm

Steel : 13 / 8 mm

Soft wood : 40 / 25 mm

**Impact Drill
SBE 850-2**



600782500

850 W / 490 W / 0 - 1100 / 0 - 3100 rpm /
36 / 14 Nm

Masonry : 20 mm

Concrete : 18 mm

Steel : 13 / 8 mm

Soft wood : 40 / 25 mm

**Impact Drill
SBEV 1300-2**



600785500

1300 W / 730 W / 0 - 1100 / 0 - 3100 rpm /
44 / 16 Nm

Masonry : 24 mm

Concrete : 22 mm

Steel : 16 / 10 mm

Soft wood : 40 / 25 mm

**Cordless
Drill / Screwdriver
BS 18 / BS 18 SET**



602207

18 V / 0 - 450 / 0 - 1600 rpm / 48 Nm

Steel : 10 mm

Soft Wood : 20 mm

**Cordless
Drill / Screwdriver
BS 18 QUICK /
BS 18 QUICK SET**



602217

18 V / 0 - 450 / 0 - 1600 rpm / 48 Nm

Steel : 10 mm

Soft Wood : 20 mm

**Cordless
Hammer Drill
SB 18 / SB 18 SET**



602245

18 V / 0 - 450 / 0 - 1600 rpm / 48 Nm

Masonry : 10 mm

Steel : 10 mm

Soft wood : 20 mm

**Cordless
Drill / Screwdriver
BS 18 L /
BS 18 L SET**



602321

18 V / 0 - 450 / 0 - 1800 rpm / 50 Nm

Steel : 10 mm

Soft Wood : 20 mm

**Cordless
Hammer Drill
SB 18 L /
SB 18 L Set**



602317

18 V / 450 / 1800 rpm / 50 Nm

Masonry : 10 mm

Steel : 10 mm

Soft wood : 20 mm

**Cordless
Drill / Screwdriver
BS 18 L BL
BS 18 L BL Q**



602326 / 602327

18 V / 0 - 550 / 0 - 1850 rpm / 60 Nm

Steel : 13 mm

Soft Wood : 32 mm

**Cordless
Hammer Drill
SB 18 L BL**



602331

18 V / 0 - 550 / 0 - 1850 rpm / 0.5 - 5 Nm

Masonry : 10 mm

Steel : 13 mm

Soft wood : 32 mm

**Cordless
Drill / Screwdriver
BS 18 LT /
BS 18 LT SET**



602102

18 V / 0 - 450 / 0 - 1600 rpm / 60 Nm

Steel : 13 mm

Soft wood : 38 mm

**Cordless
Drill / Screwdriver
BS 18 LT BL
BS 18 LT BL Q**



602325 / 602334

18 V / 0 - 600 / 0 - 2100 rpm / 75 Nm

Steel : 13 mm

Soft wood : 38 mm

**Cordless
Hammer Drill
SB 18 LT**



602103

18 V / 0 - 450 / 0 - 1600 rpm / 60 Nm

Masonry : 13 mm

Steel : 13 mm

Soft wood : 38 mm

**Cordless
Hammer Drill
SB 18 LT BL**



602316

18 V / 0 - 600 / 0 - 2100 rpm / 75 Nm

Masonry : 13 mm

Steel : 13 mm

Soft wood : 38 mm

**Cordless
Drill / Screwdriver
BS 18 LTX IMPULS**



602191

18 V / 0 - 500 / 0 - 1700 rpm / 110 Nm

Steel : 13 mm

Soft wood : 65 mm

**Cordless
Hammer Drill / Screwdriver
BS 18 LTX BL I
BS 18 LTX BL Q I**



602358 / 602359

18 V / 0 - 550 / 0 - 2000 rpm / 130 Nm

Steel : 13 mm

Soft wood : 68 mm

**Cordless
Drill / Screwdriver
BS 18 LTX-3 BL Q I METAL
BS 18 LTX-3 BL I METAL**



603180 / 603181

18 V / 0 - 450 / 0 - 2000 / 0 - 4000 rpm / 130 Nm

Steel : 16 mm

Soft wood : 68 mm

**Cordless
Hammer Drill
SB 18 LTX IMPULS**



602192

18 V / 0 - 500 / 0 - 1700 rpm / 110 Nm

Masonry : 16 mm

Steel : 13 mm

Soft wood : 65 mm



**Cordless
Hammer Drill
SB 18 LTX BL I**



602360

18 V / 0 - 550 / 0 - 2000 rpm / 130 Nm

Masonry : 16 mm

Steel : 13 mm

Soft wood : 68 mm

**Cordless
Hammer Drill
SB 18 LTX BL Q I**



602361

18 V / 0 - 550 / 0 - 2000 rpm / 130 Nm

Masonry : 16 mm

Steel : 13 mm

Soft wood : 68 mm

**Cordless
Hammer Drill
SB 18 LTX-3 BL I METAL /
SB 18 LTX-3 BL Q I METAL**



603183 / 603182

18 V / 0 - 450 / 0 - 2000 / 0 - 4000 rpm / 130 Nm

Masonry : 16 mm

Steel : 16 mm

Soft wood : 68 mm

**Cordless
Screwdriver for
Woodworking
HBS 18 LTX BL 3000**



620062

18 V / 0 - 3000 rpm

Bit retainer : Hexagon recess
1/4" (6.35 mm)

Maximum torque - : 10 Nm
soft

**Cordless
Drywall Screwdriver
TBS 18 LTX BL 5000**



620063

18 V / 0 - 5000 rpm

Bit retainer : Hexagon recess
1/4" (6.35 mm)

Maximum torque - : 6 Nm
soft

**Cordless
Impact Driver
SSD 18 LT 200 BL**



602397

18 V / 3050 rpm / 3750 bpm / 200 Nm

Bit retainer : Hexagon recess
1/4" (6.35 mm)

Speed / torque : 3
levels

**Cordless
Impact Wrench
SSW 18 LT 300 BL**



602398

18 V / 3050 rpm / 3900 bpm / 300 Nm

Bit retainer : Male square 1/2"
(12.70 mm)

Speed / torque : 3
levels

**Cordless
Impact Driver
SSD 18 LTX 200 BL**



602396

18 V / 2900 rpm / 4000 bpm / 200 Nm

Bit retainer : Hexagon recess
1/4" (6.35 mm)

Speed / torque : 12
levels

**Cordless
Impact Wrench
SSW 18 LTX 300 BL**



602395

18 V / 0 - 2650 rpm / 3750 bpm /
300 Nm

Bit retainer : Male square 1/2"
(12.70 mm)

Speed / torque : 12
levels

**Cordless
Impact Wrench
SSW 18 LTX 400 BL**



602205

18 V / 0 - 2150 rpm / 4250 bpm /
400 Nm

Bit retainer : Male square 1/2"
(12.70 mm)

Speed / torque : 12
levels

**Cordless
Impact Wrench
SSW 18 LTX 600**



602198

18 V / 0 - 1600 rpm / 2200 bpm /
600 Nm

Bit retainer : Male square 1/2"
(12.70 mm)

Speed / torque : 1
levels

**Cordless
Impact Wrench
SSW 18 LTX 800 BL**



602403

18 V / 0 - 2575 rpm / 3300 bpm /
800 Nm

Bit retainer : Male square 1/2"
(12.70 mm)

Speed / torque : 12
levels

**Cordless
Impact Wrench
SSW 18 LTX 1450 BL**



602401

18 V / 0 - 1500 rpm / 2250 bpm /
1450 Nm

Bit retainer : Male square 1/2"
(12.70 mm)

Speed / torque : 12
levels

**Cordless
Impact Wrench
SSW 18 LTX 1750 BL**



602402

18 V / 0 - 1650 rpm / 2450 bpm /
1750 Nm

Bit retainer : Male square 3/4"
(19 mm)

Speed / torque : 12
levels



Combination Hammer

KHE 2245



601708500

2.2 J / 4800 bpm / 750 W / 0 - 1500 rpm / SDS-plus

Concrete with hammer drills : 22 mm

Masonry with core bits : 68 mm

Steel : 13 mm

Soft wood : 30 mm

Combination Hammer

KHE 2445



601709500

2.4 J / 4800 bpm / 800 W / 0 - 1500 rpm / SDS-plus

Concrete with hammer drills : 24 mm

Masonry with core bits : 82 mm

Steel : 13 mm

Soft wood : 30 mm

Combination Hammer

**KHE 2645 /
KHE 2645 Q**



601710500 / 601711500

2.9 J / 4300 bpm / 850 W / 0 - 1150 rpm / SDS-plus

Concrete with hammer drills : 26 mm

Masonry with core bits : 82 mm

Steel : 13 mm

Soft wood : 30 mm

Combination Hammer

**KHE 2845 /
KHE 2845 Q**



601739500 / 601740500

3 J / 4400 bpm / 880 W / 0 - 1200 rpm / SDS-plus

Concrete with hammer drills : 28 mm

Masonry with core bits : 82 mm

Steel : 13 mm

Soft wood : 30 mm



Combination Hammer

KHE 2660 QUICK



600663500

3 J / 4300 bpm / 850 W / 0 - 1100 rpm / SDS-plus

Concrete with hammer drills : 26 mm

Masonry with core bits : 68 mm

Steel : 13 mm

Soft wood : 32 mm

Combination Hammer

KHE 2860 QUICK



600878500

3.2 J / 4400 bpm / 880 W / 0 - 1150 rpm / SDS-plus

Concrete with hammer drills : 28 mm

Masonry with core bits : 68 mm

Steel : 13 mm

Soft wood : 32 mm

Combination Hammer

**KHE 3250 /
KHE 3251**



600637000 / 600659000

3.1 J / 4470 bpm / 800 W / 0 - 1150 rpm / SDS-plus

Concrete with hammer drills : 32 mm

Masonry with core bits : 82 mm

Steel : 13 mm

Soft wood : 35 mm

Multi Hammer

UHE 2660-2 QUICK



600697500

2.8 J / 4200 bpm / 800 W / 0 - 1050 / 0 - 2500 rpm / SDS-plus

Concrete with hammer drills : 26 mm

Masonry with core bits : 68 mm

Steel : 13 / 6 mm

Soft wood : 32 / 28 mm

Multi Hammer

UHEV 2860-2 QUICK



600713500

3.4 J / 4500 bpm / 1100 W / 0 - 900 / 0 - 2100 rpm / SDS-plus

Concrete with hammer drills : 28 mm

Masonry with core bits : 68 mm

Steel : 13/6 mm

Soft wood : 35 / 30 mm

Combination Hammer

KH 5-40



600763500

7.1 J / 2800 bpm / 1100 W / 620 rpm / SDS-max

Concrete with hammer drills : 40 mm

Masonry with core bits : 105 mm

Combination Hammer

KHE 5-40



600391500

8.5 J / 3000 bpm / 1100 W /
350 - 540 rpm / SDS-max

Concrete with hammer drills : 40 mm

Combination Hammer

KHEV 5-40 BL



600765500

8.7 J / 2900 bpm / 1150 W / 350 /
500 rpm / SDS-max

Concrete with hammer drills : 40 mm

Masonry with core bits : 105 mm

Combination Hammer

KHEV 8-45 BL



600766500

12.2 J / 2900 bpm / 1500 W / 210 /
300 rpm / SDS-max

Concrete with hammer drills : 45 mm

Masonry with core bits : 125 mm

Combination Hammer

KHEV 11-52 BL



600767500

18.8 J / 2360 bpm / 1500 W / 200 /
270 rpm / SDS-max

Concrete with hammer drills : 52 mm

Cordless Hammer

KHA 18 LTX BL 40



600752

18 V / 8.6 J / 3200 bpm /
450 - 580 rpm / SDS-max

Concrete with hammer drills : 40 mm

Masonry with core bits : 105 mm

Cordless Hammer

KH 18 LTX 24



601712

18 V / 2.1 J / 5200 bpm /
0 - 1400 rpm / SDS-plus

Concrete with hammer drills : 24 mm

Masonry with core bits : 68 mm

Steel : 13 mm

Soft wood : 30 mm

Cordless Hammer

KH 18 LTX BL 24 /
KH 18 LTX BL 24 Q



601713 / 601714

18 V / 2.2 J / 4750 bpm / 0 - 1280 rpm /
SDS-plus

Concrete with hammer drills : 24 mm

Masonry with core bits : 82 mm

Steel : 13 mm

Soft wood : 30 mm

Cordless Hammer

KH 18 LTX BL 24 Q SET ISA /
KH 18 LTX BL 28 Q SET ISA



601714 / 601715

2.2 J & 3 J / 4750 & 4470 bpm /
0 - 1280 & 0 - 1000 rpm / SDS-plus

Concrete with hammer drills : 28 mm

Masonry with core bits : 82 mm

Steel : 13 mm

Soft wood : 30 mm

ISA 24 / ISA 28



631357 / 631358

65 W

Drill Ø : 5 - 16 mm

Max drill length : 160 mm

Cordless Hammer

KHA 36 LTX



600795

36 V / 3.1 J / 4500 bpm / 0 - 1100 rpm /
SDS-plus

Concrete with hammer drills : 32 mm

Masonry with core bits : 68 mm

Steel : 13 mm

Soft wood : 30 mm



Cordless Hammer
KHA 36-18 LTX 32



600796

18 V / 3.1 J / 4500 bpm / 0 - 1100 rpm / SDS-plus

Concrete with hammer drills : 32 mm

Masonry with core bits : 68 mm

Steel : 13 mm

Soft wood : 30 mm

Cordless Hammer
BH 18 LTX BL 16



600324

18 V / 1.3 J / 5250 bpm / 0 - 730 rpm / SDS-plus

Concrete with hammer drills : 16 mm

Masonry with core bits : 68 mm

Steel : 13 mm

Soft wood : 20 mm



Chipping Hammer
MH 5 / MHE 5



600147500 / 600148500

7.1 J / 3000 bpm / 1100 W / SDS-max

Vibration Chiseling : 12.3 m/s²

Sound pressure level : 95 dB(A)

Chipping Hammer
MHEV 5 BL



600769500

8.7 J / 2900 bpm / 1150 W / SDS-max

Vibration Chiseling : 9.6 m/s²

Sound pressure level : 93 dB(A)

Chipping Hammer
MHEV 11 BL



600770500

18 J / 2100 bpm / 1500 W / SDS-max

Vibration Chiseling : 10.3 m/s²

Sound pressure level : 90 dB(A)

Wall Chaser
MFE 40



604040500

1900 W / 5000 rpm

Adjustable cutting depth : 10 - 40 mm

Cutting disc Ø : 125 mm



Renovation Grinder
RSEV 17-125



603829510

1700 W / 2800 - 9600 rpm

Cup wheel Ø : 125 mm

Renovation Grinder
RSEV 19-125 RT



603825700

1900 W / 3800 - 8200 rpm / 5 Nm

Cup wheel Ø : 125 mm

Renovation Milling Machine
RFEV 19-125 RT



603826700

1900 W / 750 - 3100 rpm / 16.8 Nm

Working width : 125 mm



Stirrer
RWE 1200



614048000

1200 W / 0 - 900 rpm

Maximum stirring paddle diameter : 120 mm

Max. recommended : 30 l mixing amount

Stirrer
RWEV 1200-2



614049000

1200 W / 0 - 300 / 0 - 650 rpm

Maximum stirring paddle diameter : 140 mm

Max. recommended : 50 l mixing amount

Stirrer
RWEV 1600-2



614050000

1600 W / 0 - 300 / 0 - 650 rpm

Maximum stirring paddle diameter : 160 mm

Max. recommended : 90 l mixing amount

Cordless Stirrer
RW 18 LTX 120



601163

18 V / 0 - 750 rpm

Maximum stirring paddle diameter : 120 mm

Max. recommended : 40 l mixing amount



Angle Grinder
W 750-100 /
W 750-115 /
W 750-125



603603010 / 603604010 / 603605010

750 W / 11500 rpm / 1.9 Nm

Disc-Ø : 100 / 115 / 125 mm

Angle Grinder
W 850-115 /
W 850-125 /
WP 850-125 /
WEV 850-125



603607000 / 603608000 / 603610000 / 603611000

850 W / 3000 - 11500 rpm / 2 Nm

Disc-Ø : 100 / 115 / 125 mm

Angle Grinder
W 1100-115 /
W 1100-125



603613010 / 603614010

1100 W / 12000 rpm / 3.1 Nm // 3.2 Nm

Disc-Ø : 115 / 125 mm

Angle Grinder
WQ 1100-125



610035010

1100 W / 12000 rpm / 3.5 Nm

Disc-Ø : 125 mm

Angle Grinder
WEQ 1400-125



600347000

1400 W / 11500 rpm / 3.3 Nm

Disc-Ø : 125 mm

Angle Grinder
W 2000-230 /
WP 2000-230 /
WE 2000-230



606430460 / 606431000 / 606432000

2000 W / 6600 rpm / 13 Nm

Disc-Ø : 230 mm

Angle Grinder

W 2200-180



606434010

2200 W / 8450 rpm / 10.5 Nm

Disc-Ø : 180 mm

Angle Grinder

W 2200-230 /
WP 2200-230 /
WE 2200-230



606435010 / 606436000 / 606437000

2200 W / 6600 rpm / 13.5 Nm

Disc-Ø : 230 mm

Angle Grinder

WE 2400 - 230



606484000

2400 W / 6600 rpm / 14 Nm

Disc-Ø : 230 mm

Angle Grinder

W 9-100 /
W 9-115 /
W 9-115 QUICK /
W 9-125 QUICK /



600350010 / 600354010 / 600371000 /
600374010

900 W / 10500 rpm / 2.5 Nm

Disc-Ø : 100 / 115 / 125 mm

Angle Grinder

WP 11-115 QUICK /
W 11-125 QUICK /
WP 11-125 QUICK /
WEV 11-125 QUICK /
WEA 11-125 QUICK



603621000 / 603623000 / 603624000 /
603625000 / 603626000

1100 W / 10500 rpm / 3.2 Nm

Disc-Ø : 115 / 125 mm

Angle Grinder

W 13-125 QUICK /
WP 13-125 QUICK /
WA 13-125 QUICK /
WPB 13-125 QUICK



603627010 / 603629000 / 603630000 /
603631000

1300 W // 1350 W / 11000 rpm / 3.4 Nm

Disc-Ø : 125 mm

Angle Grinder

WE 15-125 QUICK /
WEV 15-125 QUICK /
WEVA 15-125 QUICK



600448000 / 600468000 / 600496000

1550 W / 2800 - 11000 rpm / 3.5 Nm

Disc-Ø : 125 mm

Angle Grinder

WEBA 17-125 QUICK /
WE 17-125 QUICK /
WEA 17-125 QUICK /
WEP 17-125 QUICK



600514000 / 600515000 / 600534000 /
600547000

1700 W / 11000 rpm / 3.7 Nm

Disc-Ø : 125 mm

Angle Grinder

WEV 17-125 QUICK INOX



600517000

1700 W / 2000 - 7600 rpm / 5 Nm

Disc-Ø : 125 mm

Angle Grinder

WEV 17-125 QUICK INOX RT



601092000

1750 W / 2000 - 7600 rpm / 5 Nm

Disc-Ø : 125 mm

Angle Grinder

WEPBA 17-125 QUICK RT



601097000

1750 W / 11000 rpm / 3.8 Nm

Disc-Ø : 125 mm

Angle Grinder

WE 19-125 Q M-BRUSH /
WEV 19-125 Q M-BRUSH /
WEPBA 19-125 Q DS M-BRUSH



613105000 / 613108000 / 613114000

1900 W / 11000 rpm / 4 Nm

Disc-Ø : 125 mm



Angle Grinder
WE 19-180 QUICK RT



601088000

1900 W / 8200 rpm / 5 Nm

Disc-Ø : 180 mm

Angle Grinder
WEA 19-180 QUICK RT



601095000

1900 W / 8200 rpm / 5 Nm

Disc-Ø : 180 mm

Angle Grinder
WEPBA 19-180 QUICK RT



601099000

1900 W / 8200 rpm / 5 Nm

Disc-Ø : 180 mm

Angle Grinder
WE 22-230 MVT



606464000

2200 W / 6600 rpm / 14 Nm

Disc-Ø : 230 mm

Angle Grinder
W 24-180 MVT /
WE 24-180 MVT /
WEPBA 24-180 MVT QUICK



606466000* / 606466420 / 606468000 / 606480000

2400 W / 8450 rpm / 14 Nm

Disc-Ø : 180 mm

* With rotating main handle

Angle Grinder
W 24-230 MVT /
WE 24-230 MVT /
WEA 24-230 MVT QUICK /
WEPBA 24-230 MVT QUICK



606467000 / 606469000 / 606472000 / 606481000

2400 W / 6600 rpm / 17 Nm

Disc-Ø : 230 mm

Angle Grinder
W 26-180 MVT



606473000

2600 W / 8450 rpm / 17 Nm

Disc-Ø : 180 mm

Angle Grinder
W 26-230 MVT /
WE 26-230 MVT QUICK /
WEA 26-230 MVT QUICK /
WEPBA 26-230 MVT QUICK



606474000 / 606475000 / 606476000 / 606482000

2600 W / 6600 rpm / 18 Nm

Disc-Ø : 230 mm

Metal Chop Saw
CS 22-355 /
CS 24-355 S



601786000 / 601787000

2300 W // 2400 W / 3700 rpm

Grinding wheels : 355 x 25.4 mm
(Ø x bore)





**Cordless
Angle Grinder
CC 18 LTX BL**



600349

18 V / 20000 rpm

Disc-Ø : 76 mm

Max. cutting depth : 19 mm

**Cordless
Angle Grinder
W 18 7-125**



602371

18 V / 8500 rpm

Disc-Ø : 125 mm

Max. cutting depth : 34 mm

**Cordless
Angle Grinder
W 18 L 9-115 /
W 18 L 9-125**



602246 / 602247

18 V / 8500 rpm

Disc-Ø : 115 / 125 mm

Max. cutting depth : 29 mm

**Cordless
Angle Grinder
W 18 L BL 9-115 /
W 18 L BL 9-125**



602373 / 602374

18 V / 10000 rpm

Disc-Ø : 115 / 125 mm

Max. cutting depth : 29 mm / 34 mm

**Cordless
Angle Grinder
W 18 LT BL 11-125 /
WB 18 LT BL 11-125 QUICK /
WVB 18 LT BL 11-125 QUICK /
WPB 18 LT BL 11-125 QUICK**



613052 / 613054 / 613057 / 613059

18 V / 10000 rpm // 2800 - 10000 rpm

Disc-Ø : 125 mm

Max. cutting depth : 33 mm

**Cordless
Angle Grinder
WB 18 LTX BL 15-125 QUICK /
WVB 18 LTX BL 15-125 QUICK /
WPBA 18 LTX BL 15-125 QUICK DS**



601730 / 601731 / 601734

18 V / 10000 rpm // 2500 - 10000 rpm

Disc-Ø : 125 mm

Max. cutting depth : 33 mm

**Cordless
Angle Grinder
WB 18 LTX BL 15-180 QUICK /
WPBA 18 LTX BL 15-180 QUICK DS**



601735 / 601746

18 V / 7500 rpm

Disc-Ø : 180 mm

Max. cutting depth : 60 mm

**Cordless
Angle Grinder
WPB 36-18 LTX BL 24-230 QUICK**



613103

18 V / 6600 rpm

Disc-Ø : 230 mm

Max. cutting depth : 79 mm

**Flat-Head Angle Grinder
WEF 9-125 QUICK /
WEPF 9-125 QUICK**



613060000 / 613069000

910 W / 10000 rpm // 10500 rpm / 2 Nm

Disc-Ø : 125 mm

Minimum accessible angle : 43 °

Flat-Head Angle Grinder

WEF 15-125 QUICK /
WEF 15-150 QUICK /
WEPBF 15-150 QUICK



613082000 / 613083000 / 613085000

1550 W / 11000 rpm // 9600 rpm /
3.5 Nm // 3.9 Nm

Disc-Ø : 125 mm / 150 mm

Minimum accessible angle : 43 ° / 39 °

Cordless

Flat-Head Angle Grinder
WF 18 LTX 125 QUICK



601306

18 V / 8000 rpm

Disc-Ø : 125 mm

Minimum accessible angle : 43 °

Angle Polisher

PE 15-20 RT



615200000

1500 W / 300 - 1900 rpm / 18 Nm

Backing pad up to : 180 mm
maximum

Die Grinder GP 400



600453420

400 W / 25000 rpm

Collar diameter : 43 mm

Collet chuck bore : 6.35 mm

Die Grinder GE 710 COMPACT



600615000

710 W / 13000 - 34000 rpm

Collar diameter : 43 mm

Collet chuck bore : 6 mm

Die Grinder GE 710 PLUS / GEP 710 PLUS



600616000 / 600617000

710 W / 10000 - 30500 rpm

Collar diameter : 43 mm

Collet chuck bore : 6 mm

Die Grinder GE 950 G PLUS / GEP 950 G PLUS



600618000 / 600627000

950 W / 2500 - 8700 rpm

Collar diameter : 43 mm

Collet chuck bore : 6 mm

Cordless Die Grinder GVPB 18 LTX BL 11-28 / GVB 18 LTX BL 11-28 / GVB 18 LTX BL 11-7 HT



600827 / 600826 / 600829

18 V / 8000 - 28000 // 1500 - 7000 rpm

Collar diameter : 43 mm

Collet chuck bore : 6 mm

Cordless Die Grinder GVB 18 LTX BL 11-28 COMPACT



600828

18 V / 8000 - 28000 rpm

Collar diameter : 43 mm

Collet chuck bore : 6 mm

Bench Grinder DS 125 M



604125000

200 W / 2980 rpm / 1.1 Nm

Grinding wheels : 125 x 20 x
(Ø x thickness x bore) 20 mm

Bench Grinder DS 150 M / DS 150 PLUS



604150000 / 604160000

370 W // 400 W / 2980 rpm / 1.5 Nm //
1.8 Nm

Grinding wheels : 150 x 20 x
(Ø x thickness x bore) 20 mm



Bench Grinder DS 200 PLUS



604200000

600 W / 2980 rpm / 2.7 Nm

Grinding wheels : 200 x 25 x
(Ø x thickness x bore) 32 mm

Bench Grinder DSD 200 PLUS



604210000

750 W / 2980 rpm / 7.3 Nm

Grinding wheels : 200 x 25 x
(Ø x thickness x bore) 32 mm

Combo Bench Grinder BS 200 PLUS



604220000

600 W / 2980 rpm / 2.7 Nm

Grinding wheels : 200 x 25 x
(Ø x thickness x bore) 32 mm

Bevelling Tool For Metal KFM 9-3 RF



601751700

900 W / 4500 - 11500 rpm

Max. chamfer width 45° : 6 mm

Max. chamfer height at 45° : 4 mm

Bevelling Tool For Metal KFM 15-10 F / KFMPB 15-10 F



601752500 / 601755500

1500 W / 7800 - 12200 rpm // 12500 rpm

Max. chamfer width 45° : 14 mm

Max. chamfer height at 45° : 10 mm

Bevelling Tool For Metal KFM 16-15 F



601753500

1600 W / 12000 rpm

Max. chamfer width 45° : 21 mm

Max. chamfer height at 45° : 15 mm

Cordless Bevelling Tool for Metal KFM 18 LTX 3 RF



601754

18 V / 7000 rpm

Max. chamfer width 45° : 6 mm

Max. chamfer height at 45° : 4 mm

Metal Weld Bead Remover PFM 17



601789500

1700 W / 8000 - 12600 rpm

Removal width : 25 mm

Removal height : -1.5 - 10 mm //
- 0.059 - 0.39 "

Cordless Angle Grinder WVB 18 LT BL 11-125 QUICK INOX



613091

18 V / 2000 - 7600 rpm

Disc-Ø : 125 mm

Max. cutting depth : 23 mm

Cordless Tube Belt Sander RB 18 LTX 60



600192

18 V

Belt speed in idle : 9.2 m/s

Dimensions of grinding : 30 x 533 mm
belt

Tube Belt Sander RBE 9-60 SET / RBE 15-180 SET



602183510 / 602243500

900 W // 1550 W

Belt speed in : 8 - 14 m/s /
idle 8.4 - 28 m/s

Dimensions of : 30 x 533 mm /
grinding belt 40 x 760 mm

Cordless Band File BF 18 LTX 90



600321

18 V

Belt speed in idle : 8 m/s

Grinding belt : 6 - 19 mm /
Width / Length 457 mm

Band File
BFE 9-20 /
BFE 9-20 SET



602244000 / 602244500

950 W

Belt speed in idle : 9 - 20 m/s

Grinding belt : 6 - 19 mm /
Width / Length 457 mm

Cordless
Burnishing Machine
S 18 LTX 115



600154

18 V / 3000 rpm

Abrasive tool : 100 - 200 mm
diameter

Abrasive tool : 50 - 100 mm
width

Burnishing Machine
SE 17-200 RT



602259

1700 W / 800 - 3000 rpm / 17 Nm

Abrasive tool : 100 - 200 mm
diameter

Abrasive tool : 50 - 100 mm
width

Cordless
Fillet Weld Grinder
KNS 18 LTX 150



600191

18 V / 3800 rpm

Disc diameter : 150 mm

Fillet Weld Grinder
KNSE 9-150 SET



602265500

950 W / 900 - 3800 rpm

Disc diameter : 150 mm

Sabre Saw
SSE 1100



606177500

1100 W / 0 - 2600 rpm

Saw blade stroke : 28 mm

Sabre Saw
SSEP 1400 MVT



606178500

1400 W / 0 - 2800 rpm

Saw blade stroke : 32 mm

Cordless
Sabre Saw
ASE 18 LTX



602269

18 V / 0 - 2700 rpm

Saw blade stroke : 30 mm

Cordless
Sabre Saw
SSE 18 LTX Compact /
SSE 18 LTX BL Compact /
SSE 18 LTX BL



602266 / 602366 / 602267

18 V / 0 - 3100 rpm // 0 - 3000 rpm //
0 - 2700 rpm

Saw blade stroke : 13 mm // 16 mm //
32 mm

Cordless
Sabre Saw
SSEP 18 LTX BL MVT



602258

18 V / 0 - 3000 rpm

Saw blade stroke : 32 mm

Jigsaw
STEB 65 QUICK



601030000

450 W / 600 - 3000 rpm

Cutting depth wood : 65 mm

Cutting depth NF metal : 18 mm

Cutting depth sheet steel : 6 mm

Jigsaw
STE 100 QUICK



601100000

710 W / 1000 - 3100 rpm

Cutting depth wood : 100 mm

Cutting depth NF metal : 25 mm

Cutting depth sheet steel : 10 mm

Jigsaw
STEB 100 QUICK



601110000

710 W / 1000 - 3100 rpm

Cutting depth wood : 100 mm

Cutting depth NF metal : 25 mm

Cutting depth sheet steel : 10 mm

Jigsaw
STE 140 PLUS



601403500

750 W / 1000 - 3100 rpm

Cutting depth wood : 140 mm

Cutting depth NF metal : 35 mm

Cutting depth sheet steel : 10 mm

Jigsaw
STEB 140 /
STE 140 PLUS



601402000 / 601404500

750 W / 1000 - 3100 rpm

Cutting depth wood : 140 mm

Cutting depth NF metal : 35 mm

Cutting depth sheet steel : 10 mm

Cordless
Jigsaw
STA 18 LTX 100



601002

18 V / 550 - 2800 rpm

Cutting depth wood : 100 mm

Cutting depth NF metal : 25 mm

Cutting depth sheet steel : 10 mm

Cordless
Jigsaw
STAB 18 LTX 100



601003

18 V / 0 - 2800 rpm

Cutting depth wood : 100 mm

Cutting depth NF metal : 25 mm

Cutting depth sheet steel : 10 mm

Cordless
Jigsaw
STA 18 LTX 140



601405

18 V / 1000 - 3000 rpm

Cutting depth wood : 140 mm

Cutting depth NF metal : 35 mm

Cutting depth sheet steel : 10 mm

Circular Saw
KS 55 /
KS 55 FS



600855000 / 600955000

1200 W / 5600 rpm

Maximum cutting depth at 90° : 55 mm

Maximum cutting depth at 45° : 39 mm

Saw blade Ø x bore : 160 x 20 mm

Circular Saw
KS 66 FS



601066000

1500 W / 5000 rpm

Maximum cutting depth at 90° : 66 mm

Maximum cutting depth at 45° : 47 mm

Saw blade Ø x bore : 190 x 30 mm

Circular Saw
KS 85 FS



601085000

2000 W / 4500 rpm

Maximum cutting depth at 90° : 85 mm

Maximum cutting depth at 45° : 65 mm

Saw blade Ø x bore : 235 x 30 mm

Circular Saw
KSE 55 VARIO PLUS



601204000

1200 W / 2000 - 5200 rpm

Maximum cutting depth at 90° : 55 mm

Maximum cutting depth at 45° : 40 mm

Saw blade Ø x bore : 160 x 20 mm

Cordless
Circular Saw
KS 18 LTX 66 BL



611866

18 V / 4800 rpm

Maximum cutting depth at 90° : 66 mm

Maximum cutting depth at 45° : 43 mm

Saw blade Ø x bore : 165 x 20 mm

Cordless
Plunge Cut Circular Saw
KT 18 LTX 66 BL



601866

18 V / 2250 - 5000 rpm

Maximum cutting depth at 90° : 66 mm

Maximum cutting depth at 45° : 43 mm

Saw blade Ø x bore : 165 x 20 mm



Mitre Saw
KS 216 M LASERCUT



619216000

1100 W / 5000 rpm

Dimensions : 475 x 465 x 285 mm

Saw blade : 216 x 30 mm

Mitre Saw
KS 305 M



619003000

1600 W / 3700 rpm

Dimensions : 600 x 600 x 600 mm

Saw blade : 305 x 30 mm

Mitre Saw
KGS 216 M /
KGSV 216 M



613216000 / 619261000

1200 W // 1350 W / 5000 rpm //
2500 - 5500 rpm

Dimensions : 710 x 476 x 512 mm /
760 x 475 x 340 mm

Saw blade : 216 x 30 mm

Mitre Saw
KGS 254 M



613254000

1450 W / 4500 rpm

Dimensions : 726 x 485 x 543 mm

Saw blade : 254 x 30 mm

Mitre Saw
KGS 305 M



619305000

1600 W / 3700 rpm

Dimensions : 850 x 515 x 615 mm

Saw blade : 305 x 30 mm

Mitre Saw
KGS 315 PLUS



0103150000

1600 W / 3100 - 4100 rpm

Dimensions : 950 x 765 x 660 mm

Saw blade : 315 x 30 mm

Mitre Saw
KGSV 72 XACT /
KGSV 72 XACT SYM



611216000 / 612216000

1500 W / 2200 - 6300 rpm

Dimensions : 660 x 540 x 415 mm

Saw blade : 216 mm

Crosscut And Table Saw
KGT 305 M



619004000

1600 W / 3700 rpm

Dimensions : 658 x 600 x 460 mm

Saw blade : 305 x 30 mm



**Table Saw
TS 216**



600667000

1500 W / 5000 rpm

Dimensions : 670 x 730 x 355 mm

Saw blade : 216 x 30 mm

**Table Saw
TS 254**



600668000

1700 W / 4200 rpm

Dimensions : 740 x 750 x 355 mm

Saw blade : 254 x 30 mm

**Cordless
Table Saw
TS 36-18 LTX BL 254**



613025

18 V / 5000 rpm

Max. support surface : 970 x 995 mm

Saw blade : 254 x 30 mm

Table Saw

**TKHS 315 C - 2,0 WNB /
TKHS 315 C - 2,8 DNB**



0103152000 / 0103152100

2000 W // 2800 W / 2980 rpm //
2990 rpm

Dimensions : 1650 x 650 x 1000 mm

Saw blade : 315 x 30 mm



**Band Saw
BAS 261 PRECISION**



619008000

400 W

Dimensions : 530 x 470 x 840 mm

Cutting height : 103 mm

Band Saw

**BAS 318 PRECISION WNB /
BAS 318 PRECISION DNB**



619009000 / 619010000

900 W

Dimensions : 665 x 980 x 1600 mm

Cutting height : 170 mm

Planer Thicknesser

**HC 260 C - 2,2 WNB /
HC 260 C - 2,2 WNB /
HC 260 C - 2,8 DNB**



0114026000 / 0114026038 / 0114026100

2200 W // 2800 W / 6500 rpm

Dimensions : 1110 x 620 x 980 mm

Chip removal, : 0 - 3 mm
planing

**Bench Thicknesser
DH 330**



0200033000

1800 W / 9800 rpm

Dimensions : 579 x 857 x
574 mm

Chip removal : 0 - 3 mm
bench thicknesser

**Chip And Dust
Extraction Unit
SPA 1200 /
SPA 1702 W**



601205000 / 0130170100

0.55 kW // 0.75 kW

Dimensions : 830 x 450 x 1600 mm /
882 x 562 x 1671 mm

Maximum vacuum : 1600 Pa /
1730 Pa

**Planer
HO 26-82**



602682000

620 W / 17000 rpm

Planing width : 82 mm

Adjustable planing : 0 - 2.6 mm
depth

**Cordless
Planer
HO 18 LTX 20-82**



602082

18 V / 16000 rpm

Planing width : 82 mm

Adjustable planing : 0 - 2 mm
depth

Belt Sander
BAE 75



600375000

1010 W / 12 Nm

Sanding belt : 75 x 533 mm

Orbital Sander
FSR 200 INTEC



600066500

200 W / 13000 rpm

Base plate : 114 x 102 mm

Random Orbital Sander
FSX 200 INTEC



609225500

240 W / 11000 rpm

Diameter of backing pad : 125 mm

Orbital Sander
SR 2185



600441500

210 W / 11200 rpm

Base plate : 92 x 184 mm

Orbital Sander
SRE 3185



600442000

210 W / 11200 rpm

Base plate : 92 x 184 mm

Multi Sander
FMS 200 INTEC



600065500

200 W / 13000 rpm

Base plate : 100 x 147 mm

Triangular Base-plate Sander
DSE 280 INTEC



600317500

280 W / 14000 - 22000 rpm

Base plate, dimensions : 93 mm from corner to corner

Orbital Sander
SRE 4350 TURBOTEC / SRE 4351 TURBOTEC



611350000 / 611351000

350 W / 4200 - 11000 rpm

Base plate : 92 x 184 mm / 114 x 229 mm

Random Orbital Sander
SXE 450 TURBOTEC / SXE 425 TURBOTEC



600129000 / 600131000

350 W // 320 W / 4200 - 11000 rpm

Diameter of backing pad : 150 mm / 125 mm

Random Orbital Sander
SXE 150-2.5 BL / SXE 150-5.0 BL



615025000 / 615050000

350 W / 4000 - 10000 rpm

Diameter of backing pad : 150 mm

Cordless
Random Orbital Sander
SXA 18 LTX 125 BL



600146

18 V / 4000 - 10000 rpm

Diameter of backing pad : 125 mm

Cordless
Random Orbital Sander
SXA 18 LTX 150 BL



600411

18 V / 4000 - 10000 rpm

Diameter of backing pad : 150 mm

Random Orbital Sander

SXE 3125 /
SXE 3150



600443000 / 600444000

310 W / 4000 - 12000 rpm

Diameter of backing pad : 125 mm /
150 mm



Long-Neck Sander

LSV 5-225 /
LSV 5-225 COMFORT



600103000 / 600136000

500 W / 1000 - 1650 rpm

Sanding disc diameter : 225 mm

Adjustable machine : 1.1 / 1.6 /
length : 2.1 m

Cordless Nailer

NFR 18 LTX 90 BL



612090

18 V / Nail speed : 2 /s

Magazine capacity nails: 47

Nail length : 50 - 90 mm

Nail diameter : 2.9 - 3.3 mm

Paint Remover

LF 850 S



601049500

850 W / 10000 rpm / 2 Nm

Cutting edge cycle : 80 mm

Axial routing depth : 0 - 0.3 mm

Radial routing depth : 0.15 mm



Trim Router

FM 500-6



601741000

500 W / 32000 rpm

Collet chuck bore : 6 mm

Maximum stroke height : 40 mm



Router

OFE 738



600738000

710 W / 13000 - 34000 rpm

Collet chuck bore : 8 mm

Maximum stroke height : 50 mm

Router

OF E 1229 SIGNAL



601229000

1200 W / 5000 - 25500 rpm

Collet chuck bore : 8 mm

Maximum stroke height : 50 mm

Multi-Tool

MT 400 QUICK



601406

400 W / 11000 - 18500 rpm

Oscillation angle left/right : 1.6 °

Base plate, dimensions from : 93 mm
corner to corner

Cordless Multi-Tool

MT 18 LTX



613021

18 V / 7000 - 18000 rpm

Oscillation angle left/right : 1.6 °

Base plate, dimensions from : 93 mm
corner to corner

**Cordless
Multi-Tool
MT 18 LTX BL QSL**



613088

18 V / 8000 - 20000 rpm

Oscillation angle left/right : 1.6 °

Base plate, dimensions : 93 mm
from corner to corner

**Cordless
Multi-Tool
MT 18 LTX**



613021

18 V / 7000 - 18000 rpm

Oscillation angle left/right : 1.6 °

Base plate, dimensions : 93 mm
from corner to corner



**Cordless
Hot Glue Gun
HK 18 LTX 20**



600797

18 V

Glue stick Ø : 11 mm

Warm up time : 1 min

**Glue Gun
KE 3000**



618121000

Glue stick Ø : 11 mm

Warm up time : 6 min

**Multi-line Laser
MLL 3-20**



606167000

Laser class : 2

Laser visibility in indoor : 20 m
areas

Levelling accuracy : ± 0.3 mm / m



**All-Purpose
Vacuum Cleaner
AS 20 L PC**



602083000

1200 W

Air output max. : 4200 l/min

Vacuum : 225 hPa (mbar)

Container volume : 20 l

**All-Purpose
Vacuum Cleaner
ASA 20 L PC**



602085000

1200 W

Air output max. : 4200 l/min

Vacuum : 225 hPa (mbar)

Container volume : 20 l

**All-Purpose
Vacuum Cleaner
ASA 25 L PC**



602014000

1250 W

Air output max : 3600 l/min

Vacuum : 210 hPa (mbar)

Container volume : 25 l

**All-Purpose
Vacuum Cleaner
ASR 25 L SC**



602024000

1400 W

Air output max : 4380 l/min

Vacuum : 270 hPa (mbar)

Container volume : 25 l

**All-Purpose Vacuum Cleaner
ASR 25 M SC**



602070000

1400 W

Air output max : 4380 l/min

Vacuum : 270 hPa (mbar)

Container volume : 25 l

**All-Purpose Vacuum Cleaner
ASA 30 L PC**



602086000

1200 W

Air output max. : 4200 l/min

Vacuum : 225 hPa (mbar)

Container volume : 30 l

**All-Purpose Vacuum Cleaner
ASA 30 H PC**



602088000

1200 W

Air output max. : 4200 l/min

Vacuum : 225 hPa (mbar)

Container volume : 30 l



**All-Purpose Vacuum Cleaner
ASA 30 L PC INOX**



602015000

1250 W

Air output max : 3600 l/min

Vacuum : 210 hPa (mbar)

Container volume : 30 l

**All-Purpose Vacuum Cleaner
ASA 30 M PC**



602087000

1200 W

Air output max. : 4200 l/min

Vacuum : 225 hPa (mbar)

Container volume : 30 l

**All-Purpose Vacuum Cleaner
ASR 35 L ACP /
ASR 35 M ACP /
ASR 35 H ACP**



602057000 / 602058000 / 602059000

1400 W

Air output max : 4380 l/min

Vacuum : 270 hPa (mbar)

Container volume : 35 l

**All-Purpose Vacuum Cleaner
ASR 50 L SC /
ASR 50 M SC**



602034000 / 602045000

1400 W

Air output max : 4380 l/min

Vacuum : 270 hPa (mbar)

Container volume : 50 l

**Cordless Vacuum Cleaner
AS 18 L PC COMPACT**



602028

18 V

Air output max : 2100 l/min

Vacuum : 120 hPa (mbar)

Container volume : 6 l

**Cordless Vacuum Cleaner
ASR 36-18 BL 25 M SC**



602046

18 V

Air output max : 4000 l/min

Vacuum : 240 hPa (mbar)

Container volume : 25 l

**Cordless Vacuum Cleaner
AS 18 L PC**



602021

18 V

Air output max : 2100 l/min

Vacuum : 120 hPa (mbar)

Container volume : 7.5 l



Cordless Portable Lamp ULA 14.4-18 LED



600368

14.4 - 18 V

Max. luminous flux : 280 lm

Cordless Inspection Lamp SLA 14.4-18 LED



600370000

14.4 - 18 V

Max. luminous flux : 440 lm

Cordless Site Light BSA 18 LED 4000



601505

18 V

Max. luminous flux : 4000 lm

Cordless Site Light BSA 18 LED 5000 DUO-S



601507

18 V

Max. luminous flux : 5000 lm

Cordless Site Light BSA 18 LED 10000



601506

18 V

Max. luminous flux : 10000 lm



Hot Air Gun HG 16-500



601067000

1600 W

Air volume : 240 / 450 l/min

Air temperature : 300 / 500 °C

Hot Air Gun HG 20-600



602066000

2000 W

Air volume : 150 / 300 / 500 l/min

Air temperature : 80 - 600 °C

Hot Air Gun HGE 23-650 LCD



603065000

2300 W

Air volume : 150 / 500 l/min

Air temperature : 80 - 650 °C

Hot Air Gun HGS 22-630



604063500 / 604063520

2200 W

Air volume : 150 / 500 l/min

Air temperature : 80 - 630 °C

Cordless Hot Air Gun HG 18 LTX 500



610502

18 V

Air volume : 200 / 160 l/min

Air temperature : 300 / 500 °C



**Cordless
Chain saw**
MS 36-18 LTX BL 40



601613

18 V / Li-Power / LiHD

Track length : 40 cm

Max chain speed : 22 m/s

**Cordless
Pruning Saw**
MS 18 LTX 15



600856

18 V / Li-Power

Track length : 15 cm

Max chain speed : 5 m/s



**Cordless
Shrub And Grass Shears**
SGS 18 LTX Q



601609

18 V / 2300 spm

Cutting length : 20 cm

Cutting thickness : 8 mm

Cutting width : 11.5 cm

**Cordless
Hedge Trimmer**
HS 18 LTX 45 /
HS 18 LTX 55 /
HS 18 LTX 65



601717 / 601718 / 601719

18 V / 2600 spm

Blade length : 45 / 55 / 65 cm

Cutting length : 43 / 53 / 63 cm

Max. cutting thickness : 19 mm

Hedge Trimmer

HS 8745 /
HS 8755 /
HS 8765



608745000 / 608755000 / 608765000

560 W / 3100 spm

Cutting thickness : 20 mm

Cutting length : 45 / 55 / 65 cm

Blade clearance : 34 mm



Hedge Trimmer

HS 8855 /
HS 8865 /
HS 8875



608855000 / 608865000 / 608875000

660 W / 2900 spm

Cutting thickness : 26 mm

Cutting length : 55 / 65 / 75 cm

Blade clearance : 34 mm

Hedge Trimmer

HS 55 /
HS 65



620017000 / 620018000

450 W / 3100 spm

Cutting thickness : 18 mm

Cutting length : 45 / 55 / 65 cm

Blade clearance : 28 mm



**Cordless
Lawn Mower**
RM 36-18 LTX BL 46 /
RM 36-18 LTX BL 36



601606 / 601716

18 V / 2800 rpm // 4000 rpm

Cutting width : 46 cm / 36 cm

Cutting height : 25 - 80 mm /
20 - 70 mm

**Cordless
Leaf Blower**
LB 18 LTX BL



601607

18 V / 0 - 20300 rpm

Air velocity : 150 km/h

Air volume : 650 m³/h

**Cordless
Brush Cutter**
FSD 36-18 LTX BL 40



601610

18 V / 0 - 6000 rpm

Cutting diameter : 40 cm



**Cordless
Brush Cutter**
FSB 36-18 LTX BL 40



601611

18 V / 0 - 6000 rpm

Cutting diameter : 40 cm

**Cordless
Lawn Trimmer**
RTD 18 LTX BL 30



601720

18 V / 0 - 6500 rpm

Cutting diameter : 30 cm

**Cordless
Multifunction Drive**
MA 36-18 LTX BL Q



601725

18 V / 0 - 7000 / 0 - 8200 rpm

Length : 1052 mm

Hedge Trimmer Attachment
MA-HS 50



601726850

Blade length : 50 cm

Max. cutting thickness : 22 mm

Number of strokes : 0 - 2600 /
(No Load) 0 - 3100 rpm

Pole Pruner Attachment
MA-MS 25



601727850

Track length : 25 cm

Max. chain speed level 1 : 16 m/s

Max. chain speed level 2 : 18 m/s

Brush Cutter Attachment
MA-FS 40



601728850

Cutting diameter : 40 cm

Thread diameter : 2 mm

No-load speed : 0 - 5300 /
0 - 6000 rpm



Cordless Tools in a Set
COMBO SET 2.7.1 12 V



685166

PowerMaxx BS 12

PowerMaxx SSD 12

2 Li-Power battery pack (12 V/2.0 Ah)

Charger SC 30 + metaBOX 145

Cordless Tools in a Set
COMBO SET 2.7.2 12 V



685167

PowerMaxx SB 12

PowerMaxx SSD 12

2 Li-Power battery packs (12 V / 2.0 Ah)

Charger LC 30 + metaBOX 145

Cordless Tools in a Set
COMBO SET 2.7.4 12 V BL



685227

PowerMaxx BS 12 BL Q

PowerMaxx SSD 12 BL

1 Li-Power battery pack (12 V/2.0 Ah),

1 LiHD battery pack (12 V/4.0 Ah)

Charger SC 30 + MetaBOX 145

Cordless Tools in a Set
COMBO SET 2.2.4 18 V



685185

SB 18 + SGS 18 LTX Q

Grass blade 11.5 cm + shrub blade 20 cm

2 x LiPower battery pack (18 V / 2.0 Ah)

Charger SC 30 + metaBOX 165 L

Cordless Tools in a Set
COMBO SET 2.2.5 18 V



685186

BS 18 + SGS 18 LTX Q

Grass blade 11.5 cm + shrub blade 20 cm

2 LiPower battery pack (18 V / 2.0 Ah)

Charger SC 30 + metaBOX 165 L

Cordless Tools in a Set
COMBO SET 2.8.1 18 V



685193

BS 18 + SSD 18 LT 200 BL

2 Li-power battery packs (18 V / 2.0 Ah)

Charger SC 30 + metaBOX 145 L

Cordless Tools in a Set
COMBO SET 2.8.2 18 V



685194

BS 18 L + SSD 18 LT 200 BL

1 Li-power battery pack (18 V/2.0 Ah)

1 Li-power battery pack (18 V/4.0 Ah)

Charger ASC 55 + metaBOX 145 L

Cordless Tools in a Set
COMBO SET 2.8.5 18 V



685197

SB 18 + SSD 18 LT 200 BL

2 Li-Power battery packs (18 V / 2.0 Ah)

Charger SC 30 + metaBOX 145 L

Cordless Tools in a Set
COMBO SET 2.8.6 18 V



685198

SB 18 L + SSD 18 LT 200 BL

1 Li-power battery pack (18 V/2.0 Ah)

1 Li-power battery pack (18 V/4.0 Ah)

Charger ASC 55 + metaBOX 145 L

Cordless Tools in a Set
COMBO SET 2.4.3 18 V



685204

BS 18 + W 18 L 9-125

Guard + Inner support flange + Side handle

Li-Power battery pack (18 V / 2.0 Ah)

Li-Power battery pack (18 V / 4.0 Ah)

Charger SC 30 + metaBOX 165 L

Cordless Tools in a Set
COMBO SET 2.4.4 18 V



685205

SB 18 + W 18 L 9-125

Guard + Inner support flange + Side handle

Li-Power battery pack (18 V / 2.0 Ah)

Li-Power battery pack (18 V / 4.0 Ah)

Charger SC 30 + metaBOX 165 L

Cordless Tools in a Set
COMBO SET 2.4.1 18 V



685206

BS 18 LT + W 18 LTX 9-125 Quick

Quick-locking nut + Guard + Inner support flange + Side handle

2 Li-power battery packs (18 V / 4.0 Ah)

Charger ASC 55 + metaBOX 165 L

Cordless Tools in a Set
COMBO SET 2.4.2 18 V



685207

SB 18 LT + W 18 L 9-125 Quick

Charger ASC 55 + metaBOX 165 L

Cordless Tools in a Set
COMBO SET 2.3.2 18 V



685216

BS 18 + KH 18 LTX 24

Side handle + Drilling depth guide

2 Li-power battery packs (18 V / 2.0 Ah)

Charger SC 30 + metaBOX 165 L

Scan for Battery Matrix
Battery Tools & Type of Batteries



BASIC SET
3 x Li-Power
Battery Pack



685048

18 V / 3 x 5.2 Ah

Quick charger : ASC 145

BASIC SET
3 x Li-Power
Battery Pack



685049

18 V / 3 x 4 Ah

Charger : ASC 55

BASIC SET
2 x Li-Power
Battery Pack



685050

18 V / 2 x 4 Ah

Charger : ASC 55

BASIC SET
2 x Li-Power
Battery Pack



685051

18 V / 2 x 5.2 Ah

Quick charger : ASC 145

BASIC SET
3 x Li-Power
Battery Pack



685064

18 V / 2 x 4 Ah

Charger : ASC 55

MetaBOX : 145

BASIC SET
2 x Li-Power
Battery Pack



685065

18 V / 2 x 5.2 Ah

Quick charger : ASC 145

MetaBOX 145

BASIC SET
3 x LiHD
Battery Pack



685069

18 V / 3 x 5.5 Ah

Quick charger : ASC 145

metaBOX 145

BASIC SET
3 x LiHD
Battery Pack



685074

18 V / 3 x 5.5 Ah

Quick charger : ASC 145

BASIC SET
2 x LiHD
Battery Packs



685077

18 V / 2 x 5.5 Ah

Quick charger : ASC 145

metaBOX 145

BASIC SET
2 x LiHD
Battery Packs



685122

18 V / 2 x 5.5 Ah

Quick charger : ASC 145

BASIC SET
4 x LiHD
Battery Pack



685135

18 V / 4 x 8 Ah

Quick charger : ASC 145 Duo

metaBOX 145

BASIC SET
4 x LiHD
Battery Pack



685180

18 V / 4 x 5.5 Ah

Quick charger : ASC 145 Duo

metaBOX 145

BASIC SET
2 x Li-Power
Battery Pack



685161

18 V / 2 x 2 Ah

Charger : SC 30

BASIC SET
2 x LiHD
Battery Pack



685163

18 V / 2 x 4 Ah

Charger : ASC 55

Scan for more details



**Cordless
Tapper**
GB 18 LTX BL Q I



602362

18 V / 0 - 550 / 0 - 2000 rpm / 130 Nm

Drill Ø steel : 13 mm

Drill-Ø soft wood : 68 mm

**Cordless
Blind Rivet Gun**
NP 18 LTX BL 5.0



619002

18 V / 10000 N

Rivet Ø all materials : 2.4 - 5 mm

Max. rivet Ø in aluminium : 6 mm

**Cordless
Rivet Nut Gun**
NMP 18 LTX BL M10



601788

18 V

Max. blind rivet nuts in steel : M 8

Max. blind rivet nuts in stainless steel : M 6

**Cordless
Grease Gun**
FP 18 LTX



600789

18 V

Holder size : 400 g

Discharge pressure : 690 / 414 bar

Hose length : 1200 mm

**Cordless
Caulking Gun**
KPA 18 LTX 400 /
KPA 18 LTX 600



601206 / 601207

18 V

Holder size : 400 ml / 600 ml

Discharge pressure : 7259 N

Suitable for : Cartridges /
Foil bag

**Cordless
Metal Cutting
Circular Saw**
MKS 18 LTX 58



600771

18 V

Maximum cutting depth at 90° : 58 mm

Saw blade Ø x bore : 165 x 20 mm

Max. cutting speed : 31 m/s

**Cordless
Nibbler**
NIV 18 LTX BL 1.6



601614

18 V / 660 - 2360 rpm

Cutting speed : 1.2 - 2.6 m/min

Smallest curve radius : 40 mm

**Cordless
Metal Shears**
SCV 18 LTX BL 1.6



601615

18 V / 1350 - 4840 rpm

Cutting speed : 7 m/min

Smallest curve radius : 15 mm

**Cordless
Cooling Box**
KB 18 BL



600791

18 V

Max. cooling output in ambient temperature : 17 °C

Volume : 24 l

**Cordless
Fan**
AV 18



606176

18 V / 1300 rpm

Air velocity : 1.8 / 2.8 / 3.8 m/s

Rotor diameter : 355 mm

**Cordless
Worksite Radio**
R 12-18 BT



600777

12 - 18 V

Radio frequency AM : 522 - 1620 kHz

Radio frequency FM : 87.5 - 108 MHz

**Cordless
Site Light**
BSA 12-18 LED 2000



601504

12 - 18 V

Max. luminous flux : 2000 lm



Cordless Drill / Screwdriver
POWERMAXX BS / POWERMAXX BS BASIC / POWERMAXX BS QUICK BASIC



600079 / 600080 / 600156

12 V / 0 - 360 / 0 - 1400 rpm / 34 Nm

Steel : 10 mm

Soft wood : 18 mm

Cordless Drill / Screwdriver
POWERMAXX BS 12 / POWERMAXXBS 12 Q



601036 / 601037

12 V / 0 - 360 / 0 - 1400 rpm / 40 Nm

Steel : 10 mm

Soft wood : 18 mm

Cordless Drill / Screwdriver
POWERMAXX BS 12 BL / POWERMAXX BS 12 BL Q



601044 / 601045

12 V / 0 - 450 / 0 - 1600 rpm / 45 Nm

Steel : 10 mm

Soft wood : 35 mm

Cordless Hammer Drill
POWERMAXX SB BASIC



600385

12 V / 0 - 360 / 0 - 1400 rpm / 34 Nm

Masonry : 10 mm

Steel : 10 mm

Soft wood : 18 mm

Cordless Hammer Drill
POWERMAXX SB 12 / POWERMAXX SB 12 BL



601076 / 601077

12 V / 0 - 360 / 0 - 1400 rpm // 0 - 500 / 1650 rpm / 40 Nm // 45 Nm

Masonry : 10 mm

Steel : 10 mm

Soft wood : 25 mm

Cordless Impact Driver
POWERMAXX SSD 12 / POWERMAXX SSD 12 BL



601114 / 601115

12 V / 3500 bpm // 4000 bpm / 0 - 2500 rpm / 115 Nm // 140 Nm

Bit retainer : Hexagon recess 1/4" (6.35 mm)

Max. screw size : M12 // M14

Speed/torque levels : 1 // 2

Cordless Hammer
POWERMAXX BH 12 BL 16



600207

12 V / 1.3 J / 5250 bpm / 0 - 730 rpm

Concrete with hammer drills : 16 mm

Masonry with core bits : 68 mm

Steel : 13 mm

Soft wood : 20 mm



Cordless Random Orbital Sander
POWERMAXX SXA 12-125 BL



602035

12 V / 8000 - 20000 rpm

Diameter of backing pad : 125 mm

Cordless Orbital Sander
POWERMAXX SRA 12 BL



602036

12 V / 8000 - 20000 rpm

Base plate : 80 x 133 mm

Cordless Multi Sander
POWERMAXX SMA 12 BL



602037

12 V / 8000 - 20000 rpm

Base plate : 100 x 150 mm



Cordless Multi-Tool POWERMAXX MT 12

613089

12 V / 5000 - 18000 rpm
 Oscillation angle left / right : 1.6 °
 Base plate, dimensions : 93 mm from corner to corner

Cordless Angle Grinder POWERMAXX CC 12 BL

600348

12 V / 20000 rpm
 Disc-Ø : 76 mm
 Max. cutting depth : 19 mm

Cordless Sabre Saw POWERMAXX SSE 12 BL

602322

12 V / 0 - 3000 rpm
 Saw blade stroke : 16 mm



Cordless Shrub and Grass Shears POWERMAXX SGS 12 Q

601608

12 V / 2300 spm
 Cutting length : 20 cm
 Cutting thickness : 8 mm
 Cutting width : 11.5 cm

Cordless Portable Lamp Powermaxx ULA 12 LED

600788

12 V
 Max. luminous flux : 210 lm

Cordless Power Adapter Powermaxx PA 12 LED-USB

600298

12 V
 5 V USB + LED Light



BASIC SET 12V 2 X 2.0 AH

685300

2 x Li-Power Battery Pack 12 V / 2.0 Ah
 Charger : SC 30

BASIC SET 12V 2 X LIHD 4.0 AH

685301

2 x LiHD battery pack 12 V / 4.0 Ah
 Charger : ASC 55

Cordless Drill / Screwdriver SET POWERMAXX BS 12

601036

12 V / 0 - 360 / 0 - 1400 rpm / 40 Nm
 Steel : 10 mm
 Soft wood : 18 mm

metabo

RANGE OF PRODUCTS



Scan for more details



Branches

Ahmedabad : 90999 20372
Bengaluru : 90083 04461
Bhubaneswar : 98302 00254
Chennai : 99620 92519
Cochin : 95677 61040

Delhi : 97119 18942
Gurugram : 97111 92658
Guwahati : 98360 92333
Hyderabad : 98487 12443
Jaipur : 88240 99593

Kolkata : 98311 60116
Lucknow : 90267 53265
Ludhiana : 78250 01093
Mumbai : 75960 26989
Pune : 97027 86342

Germany

Metabowerke GmbH
Metabo Allee 1
D-72622 Nürtingen

Registered office

HiKOKI POWER TOOLS INDIA PRIVATE LIMITED
No. 11, old no. 9A, 1st main road, KIADB Peenya 1st stage,
Bengaluru - 560058, India
Tel: 080 41170777 / 41170778, Fax: 411271222
Toll free no. : 1800 5725 726
Email: ho.mktg@hikoki-powertools.in | web: www.hikoki-powertools.in
(Formerly known as Hitachi Koki India Private Limited)



metabo

100 YEARS