

# NEVER STOP BUILDING

POWER TOOLS  
RECKONER  
2024-25

POWERFUL PROMOTIONS TO KEEP YOU GOING



INSPIRED BY  
**JAPANESE**  
ENGINEERING



MAKE. MOVE. GO

**HiKOKI**



## Cordless Driver Drills

### DB 3DL2 Li-ion

21-Stage Torque, 3.6V,  
1.5Ah, 6.35mm Hex Bit Shank,  
Torque: 0.3-2.9Nm, 0-600 Rpm,  
0-2000rpm, 0.45kg

MRP: 8,760/-



Convertible to use  
in angled or straight

### DB 10DL Li-ion

21-Stage Torque, 10.8V, 1.5Ah,  
6.35mm Hex Bit Shank,  
Max Lock Torque: 10Nm,  
0-400Rpm, 0.8kg

MRP: 15,660/-



### DS 12DA Li-ion 12V PEAK

20-Stage Clutch, 12V Peak Battery,  
2.5Ah, 10mm, Max Torque: 38Nm,  
0-1,400Rpm, 0-350 Rpm, 1.1kg

MRP: 20,000/-



### DS 18DA Li-ion

13mm, 18V, Max Torque: 50Nm,  
2.0Ah, 0-1,400Rpm, 0-350Rpm,  
1.9kg

MRP: 17,500/-



### DS 18DE **NEW**

Li-ion  
BRUSHLESS  
RFC

13mm, 18V, Max Torque: 70/40Nm,  
0-2,000Rpm, 0-550Rpm, 1.9kg

MRP: 14,620/- (Bare Tool)



## Cordless Impact Driver Drill

### DV 18DC **NEW** Li-ion BRUSHLESS RFC

13mm, 18V, Max Torque: 140/70Nm,  
0-2,000Rpm, 0-500Rpm, 2.6kg

MRP: 45,946/-



## Cordless Impact Driver

### WH 7DL Li-ion

With White LED Light,  
6.35mm Hex Bit Shank,  
7.2V, 1.5Ah, Torque: 25Nm,  
0-2,400Rpm, 0-3,000 lpm, 0.59kg

MRP: 16,140/-



Convertible to use  
in angled or straight

### WH 12DA Li-ion 12V PEAK

6.35mm Hex Bit Shank,  
12V Peak Battery, 2.5Ah, Torque: 110Nm,  
0-2,700Rpm, 0-3,200 lpm, 1.1kg

MRP: 10,000/- (Bare Tool)



## Cordless Impact Driver Drills

### WH 12DD Li-ion BRUSHLESS 12V PEAK

6.35mm Hex Bit Shank, 12V Peak Battery,  
1.5Ah, Torque: 135Nm, 0-3,200Rpm,  
0-4,000lpm, 1.1kg

MRP: 22,000/-



### WH 18DA Li-ion

6.35mm Hex Bit Shank, 18V, 2.0Ah,  
Torque: 140Nm, 0-2,700Rpm,  
0-3,600lpm, 1.3 kg

MRP: 22,000/-



### WH 18DC Li-ion BRUSHLESS IP56 TRIPLE WATERPROOF

6.35mm Hex Bit Shank, 18V,  
Torque: 210Nm, 0-3,700Rpm,  
0-4,000lpm, 1.6kg

MRP: 42,500/-



### WH 18DE Li-ion BRUSHLESS

6.35mm Hex Bit Shank, 18V,  
Torque: 175Nm, 0-3,100Rpm,  
0-3,400lpm, 1.5kg

MRP: 18,400/- (Bare Tool)



## Cordless Disc Grinders

### G 1810DA Li-ion BRUSHLESS

18V, 100mm (4"),  
M10x1.5, 8,000Rpm, 2.4kg

MRP: 32,963/-



### G 1813DA **NEW** Li-ion BRUSHLESS

18V, 125mm (5"),  
M14x2, 8,000Rpm, 2.7kg

MRP: 37,200/-



## Cordless Impact Wrenches

### WR 18DF Li-ion

18V, 220Nm, 12.7mm (1/2")  
Square Drive, 0-2,400Rpm,  
0-3,200lpm, 1.4kg

MRP: 13,000/- (Bare Tool)



### WR 18DSDL Li-ion

18V, 255Nm, 12.7mm (1/2")  
Square Drive, 0-2,600Rpm,  
0-3,200lpm, 1.5kg

MRP: 34,000/-



## Cordless Impact Wrenches

### WR 18DH **NEW** Li-ion BRUSHLESS IP56

18V, 345Nm, 12.7mm, (1/2")  
Square Drive, 0-2,800Rpm,  
0-4,000lpm, 2.0kg

MRP: 43,365/-



## Cordless Die Grinder

### GP 18DA **NEW** Li-ion BRUSHLESS

18V, Variable Speed,  
Collet Chuck 6mm,  
7,000-29,000Rpm, 2.8kg

MRP: 47,975/-



## Cordless Reciprocating Saw

### CR 18DBL **NEW** Li-ion BRUSHLESS LVH

18V, Steel Pipe 130mm, MS Plate 19mm  
0-2,500Rpm, Length of Stroke 32mm, 3.4kg

MRP: 52,581/-



## Cordless Cut-Out Tool

### M 18DYA **NEW** Li-ion BRUSHLESS

18V, Collet Chuck  
3.18mm/6.35mm,  
28,000Rpm, 1.7kg

MRP: 45,897/-



## Cordless Caulking Gun

### AC 18DA **NEW** Li-ion

18V, Dispensing Speed 0-14mm/s,  
Max Dispensing Force 3,000N,  
3.4kg

MRP: 49,223/-



## Cordless Heat Gun

### RH 18DA **NEW** Li-ion

18V, Temperature I 30-400°C,  
II 30-550°C, Air Volume I 200L/min,  
II 300L/min, 1.6kg

MRP: 32,958/-



## Cordless Planer

### P 18DSL **NEW** Li-ion

18V, Cutting Width  
82mm, Max Cutting  
Depth 2mm, 16,000Rpm,  
3.3kg

MRP: 48,126/-



## Cordless Band Saw

### CB 18DBL **NEW** Li-ion BRUSHLESS

18V, 83mm Round Pipe,  
80x80mm Square Pipe,  
Blade Size 900x12.5x0.5mm, 3.6kg

MRP: 52,734/-



## Cordless Cleaner

### R 18DSL **NEW**

Li-ion

18V, Dust Case Capacity 670mL, Length 430mm, 1.5kg

**MRP: 23,635/-**



## Cordless Blower

### RB 18DC **NEW**

Li-ion

18V, Air Volume Flow 0-3.5m<sup>3</sup>/min, Max Air Velocity 95m/s, Avg Air Velocity 78m/s, Length 490mm, 1.8kg

**MRP: 23,818/-**



## Cordless Work Light

### UB 18DC **NEW**

Li-ion LED

18V, USB Port 5V, 1A, Brightness Adjustment Range 700-4,000lm, 1.9kg

**MRP: 38,517/-**



## Cordless Cooler & Warmer Box

### UL 18DA **NEW**

18V, Capacity 25L, Temperature 0 C-40°C, Dimension 340x560x445mm (LxWxH), 8.0kg

**MRP: 35,400/-**



## Multivolt (Cordless Driver Drills)

### DS 36DA

Li-ion BRUSHLESS IP56 RFC

36V, 13mm, Rpm: 0-2,100/0-500, 138Nm, 22 Stage Torque 2-8Nm, 2.7kg

**MRP: 55,500/-**



### DS 36DC

Li-ion BRUSHLESS RFC

36V, 13mm, Rpm: 0-2,200/0-550, 155Nm, 2.8kg

**MRP: 48,000/-**



## Multivolt (Cordless Impact Driver Drill)

### DV 36DA

Li-ion BRUSHLESS IP56 RFC

36V, 13mm, Rpm: 0-2,100 lpm: 0-7,500, 138Nm, 22 Stage Torque 2-8Nm, 2.7kg

**MRP: 60,000/-**



## Multivolt (Cordless Impact Drivers)

### WH 36DB

Li-ion BRUSHLESS IP56 TRIPLE HAMMER

336V, 6.35mm Hex Bit Shank, 0-2,900rpm, 0-4,100lpm, 210Nm, 1.6kg

**MRP: 52,500/-**



## Multivolt (Cordless Impact Drivers)

### WH 36DC

Li-ion BRUSHLESS IP56 TRIPLE HAMMER

36V, 6.35mm Hex Bit Shank, 0-3,700Rpm, 0-4,100lpm, 215Nm, 1.6kg

**MRP: 17,340/-** (Bare Tool)



## Multivolt (Cordless Rotary Hammer)

### DH 36DPA

Li-ion BRUSHLESS RFC

36V, SDS Plus, 3-Mode, Concrete-28mm, Steel-13mm, Wood-32mm, 0-1,100Rpm, 0-4,300lpm, 3.9kg

**MRP: 71,250/-**



## Multivolt (Cordless Impact Wrenches)

### WR 36DG

Li-ion BRUSHLESS IP56

36V, Square Drive 12.7mm (1/2"), 1,400Nm, 0-1,500Rpm, 4 Mode, 0-2,500lpm, 3.9kg

**MRP: 52,000/-**



### WR 36DF

Li-ion BRUSHLESS IP56

36V, Square Drive 19mm (3/4"), 1,900Nm, 0-1,500Rpm, 4 Mode, 0-2,600lpm, 3.9kg

**MRP: 53,000/-**



## Multivolt (Cordless Disc Grinders)

### G 3610DA

Li-ion BRUSHLESS IP56

36V, 100mm (4"), Spindle M10x1.5, Transmission Mode: 3,000-9,500Rpm, Auto Mode: 5,500Rpm, 2.6kg

**MRP: 48,000/-**



### G 3610DVE

Li-ion BRUSHLESS IP56

36V, 100mm(4"), Spindle M10x1.5, Transmission Mode: 3,200-10,000Rpm, Auto Mode: 5,500Rpm, 3.0kg

**MRP: 48,000/-**



### G 3618DA

Li-ion BRUSHLESS IP56

36V, 180mm (7"), Spindle M14x2, Normal Mode: 5,300Rpm, Auto Mode: 3,200Rpm, 4.7kg

**MRP: 35,600/-** (Bare Tool)



## Multivolt (Cordless Reciprocating Saw)

### CR 36DA **NEW**

Li-ion BRUSHLESS IVP

36V, Steel pipe 130mm, MS Plate 19mm, 0 - 3,000Rpm, Length of Stroke 32mm, Overall Length 457mm, 4.5kg

**MRP: 72,017/-**



## Multivolt (Cordless Chain Saw)

### CS 3635DB **NEW**

Li-ion BRUSHLESS IP56

36V, Guide Bar Length 350mm, Chain Speed 14.9m/s, Guide Bar Sprocket Nose, Overall Length 760mm, 4.6kg

**MRP: 60,057/-**



## Multivolt (Cordless Grass Trimmer)

### CG 36DB **NEW**

Li-ion BRUSHLESS IP56

36V, Cutting Capacity Dia. 310mm, 6500Rpm, Overall Length 1,803mm, 4.5kg

**MRP: 62,515/-**



## Multivolt (Cordless Hedge Trimmer)

### CH 3656DA **NEW**

Li-ion BRUSHLESS IP56

36V, Blade Length 620mm, Blade Pitch 35mm, Overall Length 1,088mm, 4.1kg

**MRP: 51,520/-**



## Multivolt (Cordless Blower)

### RB 36DA **NEW**

Li-ion BRUSHLESS IP56

36V, Air Volume 680m<sup>3</sup>/h, Air Velocity 45m/s, Overall Length 940mm, 3.5kg

**MRP: 53,516/-**



## Drills

### D 10VSTA

1.5-10mm, 450W, 0-3,000Rpm, 1.3kg

**MRP: 3,060/-**



### D 13VH

1.5-13mm, 690W, 0-3,000Rpm, 0-1,000Rpm, 1.9kg

**MRP: 8,840/-**



## Impact Drills

### DV 10VST

1.5-10mm, Variable Speed, 550W, 0-3,000Rpm, 0-48,000lpm, 1.7kg

**MRP: 3,630/-**



### DV 13VSS

1.5-13mm, Variable Speed, 550W, 0-2,900Rpm, 0-29,000lpm, 1.4kg

**MRP: 4,950/-**





## Impact Drills

☑ ☑ ☑  
**DV 16V**



1.5-13mm, Variable Speed, 590W  
0-2,900Rpm, 0-34,500lpm, 1.5kg

**MRP: 7,720/-**

☑ ☑ ☑  
**VTP 18**



1.5-13mm, 2 Speed, 640W,  
0-1,800Rpm, 17,800-28,600lpm,  
2.3kg

**MRP: 8,950/-**

## Tool Kits

☑ ☑ ☑ ☑  
**10mm Tool Kit**



10mm Impact Drill Dv 10VST,  
Twist Drill-3, Wood Flat Bit-2,  
Masonry Drill-3, Wood Drill-3,  
Flathead 50mm-2, Cross Point 50mm-3,  
Star Shape 50mm-2, T Shaped 50mm

**MRP: 6,240/-**

☑ ☑ ☑ ☑  
**13mm Tool Kit**



13mm Impact Drill Dv 13VSS-1,  
Masonry Bits-4, Steel Bits(HSS)-3,  
Brad points ( Wood Drill)-2,  
Socket 1/4"-9,  
Plier (Combination Plier)-8,  
25mm Insert bits-10

**MRP: 6,800/-**

## Rotary Hammers

☑ ☑ ☑ ☑ ☑ ☑  
**DH 22PBS**



SDS-Plus, Concrete: 22mm,  
Steel: 13mm, 2 Modes,  
620W, 2.2J, 0-1,100Rpm,  
4,400lpm, 2.8kg

**MRP: 14,000/-**

☑ ☑ ☑ ☑ ☑ ☑  
**DH 24PG2**



SDS-Plus, Concrete: 24mm,  
Steel: 13mm, 2 Modes,  
730W, 2.7J, 0-1,050Rpm,  
3,950lpm, 2.8kg

**MRP: 15,450/-**

☑ ☑ ☑ ☑ ☑ ☑  
**DH 26PB2**



SDS-Plus, Concrete: 26mm,  
Steel: 13mm, 2 Modes, 830W,  
3.2J, 0-1,100Rpm, 4,300lpm,  
2.8kg

**MRP: 16,160/-**

☑ ☑ ☑ ☑ ☑ ☑  
**DH 26PC2**



SDS-Plus, Concrete: 26mm,  
Steel: 13mm, 3 Modes, 830W,  
3.2J, 0-1,100Rpm, 4,300lpm,  
2.8kg

**MRP: 17,950/-**

## Rotary Hammers

☑ ☑ ☑ ☑ ☑ ☑  
**DH 28PBY2**



SDS-Plus, Concrete: 28mm,  
Steel: 13mm, 2 Modes, 850W,  
3.4J, 0-1,100Rpm, 0-4,300lpm,  
3.0kg

**MRP: 17,280/-**

☑ ☑ ☑ ☑ ☑ ☑  
**DH 28PCY2**  
*LVP*



SDS-Plus, Concrete: 28mm,  
Steel: 13mm, 3 Modes, 850W,  
3.4J, 0-1,100Rpm, 0-4,300lpm,  
3.0kg

**MRP: 20,080/-**

☑ ☑ ☑ ☑  
**DH 40MC**  
*LVB*



Drill Bit 40mm, Core Bit 105mm,  
620Rpm, 2,800lpm, SDS-Max, 1,100W,  
7.1kg

**MRP: 43,430/-**

☑ ☑ ☑ ☑ ☑  
**DH 45MA** **NEW**  
*LVB*



Drill Bit 45mm, Core Bit 125mm,  
SDS-Max, 1,400W, 380Rpm,  
2,900lpm, 9.4kg

**MRP: 60,080/-**

☑ ☑ ☑ ☑ ☑  
**DH 45ME**  
*BRUSHLESS LVP LVB*



SDS-Max, Drill Bit 45mm, Core Bit 125mm,  
1,500W, 120-310Rpm, 1,200-2,950lpm,  
9.0kg

**MRP: 72,450/-**

☑ ☑ ☑ ☑ ☑  
**DH 52MA**  
*LVB*



SDS-Max, Drill Bit 52mm, Core Bit 160mm,  
1,500W, 330Rpm, 2,250lpm, 11.8kg

**MRP: 74,658/-**

## Demolition Hammers

☑ ☑ ☑ ☑  
**H41 SST**  
*LVB*



17mm Hexagon, 1,010W, 2,900lpm,  
Impact Force 7.2J, 5.7kg

**MRP: 20,790/-**

☑ ☑ ☑ ☑  
**H41 MB2**  
*LVB*



950W, 3,000lpm, SDS-Max,  
Impact Force 10J, 5.2kg

**MRP: 39,780/-**

## Demolition Hammers

☑ ☑ ☑ ☑  
**H 60MC(V)**



With Speed Control Dial, SDS-Max,  
1,250W, 900-1,600lpm, Impact Force 22.0J,  
11.3kg

**MRP: 55,200/-**

☑ ☑ ☑ ☑ ☑  
**H 60ME**



*BRUSHLESS LVB FHB*  
SDS Max, 1,500W, 1,500-2  
100lpm, Impact Energy 26.5J,  
11.6kg

**MRP: 68,000/-**

☑ ☑ ☑ ☑  
**PH 65A**



Heavy Blow Chipping 30mm Hexagon,  
1,240W, 1,400lpm, Impact Force 39.5J,  
15.0kg

**MRP: 68,440/-**

☑ ☑ ☑ ☑  
**H 65SB3**  
*LVP FHB*



Strong Demolition Power, 30mm Hexagon,  
1,340W, 1,400lpm, Impact Force 42J,  
18.0kg

**MRP: 89,210/-**

☑ ☑ ☑ ☑  
**H 90SG**  
*BRUSHLESS LVP FHB*



28.5mm Hexagon Bit With Strong  
Demolition Power, 1,000lpm, 2,000W,  
Impact Force 70J, 32.0kg

**MRP: 1,60,680/-**

## Screw Driver

☑ ☑ ☑ ☑  
**W 6VA4**



6mm Drywall & Self-Drilling Screw  
With Depth Stop, 620W, 0-3,000Rpm,  
1.4kg

**MRP: 16,650/-**

## Impact Wrenches

☑ ☑ ☑ ☑  
**WR 22SE**  
*BRUSHLESS FHB*



800W, OB 14mm-24mm,  
HTB 16mm-22mm, 19mm Square Drive,  
1,400Rpm, 2,000lpm, 620Nm, 5.2kg

**MRP: 60,960/-**

☑ ☑ ☑ ☑  
**WR 25SE**  
*BRUSHLESS FHB*



900W, OB 22mm-30mm,  
HTB 22mm-24mm,  
25.4mm Square Drive,  
1,100Rpm, 1,500lpm, 1,000Nm, 8.4kg

**MRP: 94,500/-**



## Disc Grinders



### G 10SS2



100mm, Spindle Thread  
M10x1.5, 600W, 11,500Rpm,  
1.7kg

**MRP: 3,900/-**



### PDA 100M



100mm, Spindle Thread  
M10x1.5, 715W, 12,000Rpm,  
1.5kg

**MRP: 5,700/-**



### G 10SN2



100mm, Spindle Thread  
M10x1.5, 900W,  
10,500Rpm, 1.8kg

**MRP: 7,400/-**



### G 10VE2 BRUSHLESS



100mm, Spindle Thread  
M10x1.5, 1320W,  
2,800-10,000Rpm, 1.8kg

**MRP: 16,000/-**



### PDA 125M



125mm, Spindle Thread  
M14x2, 715W, 10,000Rpm,  
2.1kg

**MRP: 7,500/-**



### G 13SR4



125mm, Spindle Thread  
M14x2, 730W, 10,000Rpm,  
1.8kg

**MRP: 6,720/-**



### G 13SW



125mm, Spindle Thread  
M14x2, 1,200W,  
12,000Rpm, 2.3kg

**MRP: 8,820/-**



### G 13SB4



125mm, Spindle Thread  
M14x2, 1,400W,  
11,500Rpm, 2.4kg

**MRP: 9,740/-**

## Disc Grinders



### G 15SA2



150mm, Spindle Thread  
M14x2, 1,200W,  
8,500Rpm, 2.8kg

**MRP: 13,220/-**

## Large Angle Grinders



### G 18ST



180mm, Spindle Thread  
M14x2, 2,000W,  
8,500Rpm, 4.9kg

**MRP: 10,820/-**



### G 18SH2



180mm, Spindle Thread  
M14x2, 2,000W,  
8,500Rpm, 4.3kg

**MRP: 14,050/-**



### G 18BYE BRUSHLESS



180mm, Spindle Thread  
M14x2, 2,200W,  
6,600Rpm, 4.0kg

**MRP: 26,700/-**



### G 18SW2



180mm, Spindle Thread  
M14x2, 2,200W,  
8,500Rpm, 4.9kg

**MRP: 14,500/-**



### G 18SE4



180mm, Spindle Thread  
M14x2, 2,400W,  
8,500Rpm, 5.9kg

**MRP: 16,830/-**



### G 23ST



230mm, Spindle Thread  
M14x2, 2,000W,  
6,600Rpm, 5.1kg

**MRP: 13,430/-**



### G 23SC4



230mm, Spindle Thread  
M14x2, 2,400W,  
6,600Rpm, 6.1kg

**MRP: 17,340/-**

## Die Grinders



### GP 252



Precise Grinding,  
Collet Chuck 6mm,  
520W, 29,000Rpm, 1.7kg

**MRP: 14,630/-**

### GP 3V



Variable Speed,  
Max Collet Chuck 6mm,  
760W, 7,000-29,000Rpm, 1.8kg

**MRP: 19,980/-**

## Sander Polishers



### S 15SB



Vertical Type, 150mm,  
Spindle Thread M16x2, 705W,  
4,500Rpm, 2.0kg

**MRP: 17,860/-**



### SAT 180



180mm, 2 Speed Sanding  
& Polishing, Spindle Thread  
M14x2, 705W, 1,900-3,400Rpm, 2.9kg

**MRP: 14,400/-**



### SP 18VA



180mm, Spindle Thread  
M14x2, Electronic Control,  
1,250W, 0-3,400Rpm, 2.8kg

**MRP: 19,660/-**

## Orbital Sander



### SV 12SG



114mm, with Dust Bag  
Pad Size 110x100mm,  
200W, Spindle 14,000Rpm  
Orbit 28,000Rpm, 1.1kg

**MRP: 6,930/-**

## Random Orbital Sander



### SV 13YA



Variable Speed Sanding,  
Paper & Pad Size 125mm,  
Orbital Dia 3.2mm, 230W,  
7,000-12,000Rpm, 1.4kg

**MRP: 9,990/-**

## Belt Sander



### SB 8V2



Variable Speed Belt Size  
76x533mm, 1,020W,  
No Load Speed 250-450Rpm, 4.5kg

**MRP: 19,660/-**

## Circular Saws

回 回 回 回  
C 7SS

Blade Dia 190mm, Max Cut Depth 68mm @ 90° & 46mm @ 45°, 1,050W, 5,500Rpm, 3.4kg

**MRP: 7,830/-**



回 回  
C 7ST

Blade Dia 185mm, Max Cut Depth 62mm @ 90° & 47.5mm @ 45°, 1,710W, 6,000Rpm, 4.3kg

**MRP: 12,000/-**



回 回 回 回  
C 9SA3

235mm, Max Cut Depth 86mm @ 90° & 65mm @ 45°, 2,000W, 5,200Rpm, 7.0kg

**MRP: 22,000/-**



## Compound Mitre Saws

回 回 回  
C 10FCE2

Blade Dia 255mm, Compound Miter 45° & Bevel 45° | 41x102mm, 1,520W, 5,000Rpm, 11.5kg

**MRP: 26,100/-**



回 回 回  
C 12FDHB

Blade Dia 305mm, Miter Angle 0-52°L & R, Bevel Angle 0-48°L & R, Xact Cut Shadow Line LED System, 4,300Rpm, 20kg

**MRP: 41,000/-**



## Table Saw

回 回 回 回 回 回  
C 10RJ **NEW**

Blade Dia 255mm, No Load Speed 4,500/min, Cutting Depth: 90°- 79mm, 45°-57mm, Main Table Size-730x559mm, 43.5kg

**MRP: 78,000/-**



## Jig Saws

回 回 回  
FCJ 65V3

Variable Speed, Wood 65mm, Steel Plate 6mm, Base Tilt Angle 45° Right/Left, 400W, 0-3,000Rpm, 1.5kg

**MRP: 8,550/-**



回 回 回 回 回  
CJ 90VST2

Variable Speed, Wood 90mm, Steel Plate 10mm, Base Tilt Angle 45° Right/Left, 705W, 850-3,000Rpm, 2.2kg

**MRP: 11,660/-**



## Reciprocating Saw

回 回  
CR 13V2

Variable Speed, Pipe 130mm, Steel Plate 19mm, Length of Stroke 29mm, 1,010W, 0-2,800Rpm, 3.3kg

**MRP: 21,840/-**



## Chain Saw

if 回 回 回  
CS 40Y

Front & Rear Handles With Soft Grip, Bar Size : 400mm, 2,000W, Chain Speed: 14.5m/s, 5.5kg

**MRP: 19,800/-**




## Cutters

回  
CM 4ST

Wheel Dia 110mm, Max Cut Depth 34mm, 1,300W, 13,000Rpm, 2.9kg

**MRP: 6,580/-**



回  
CM 4SB2

Wheel Dia 110mm, Max Cut Depth 34mm, 1,320W, 11,500Rpm, 2.8kg

**MRP: 6,750/-**



## Cut Off Machines

回 回  
CC 14STA

355mm, Bar Dia 65mm, Pipe Dia 130mm, 2,000W, 3,900Rpm, 14.1kg

**MRP: 13,740/-**



回 回  
CC 14STD

355mm, Bar Dia 65mm, Pipe Dia 130mm, 2,200W, 3,800Rpm, 17.0kg

**MRP: 17,970/-**



回 回 回  
CC 14STDU

355mm, Bar Dia 65mm, Pipe Dia 130mm, 2,200W, 3,800Rpm, 17.0kg

**MRP: 21,740/-**



## Planer

回  
P 20ST

Cutting Width 82mm, Max Cutting Depth 1.5mm, 580W, 17,000Rpm, 2.5kg

**MRP: 8,030/-**



## Routers

回 回  
M 12SA2

Constant Speed Control, Collet Chuck 12mm, 1,700W, 22,000Rpm, 6.2kg

**MRP: 20,210/-**



回 回  
M 12SC

Compact & Light Weight With Collet Chuck 6x12mm, 900W, 25,000Rpm, 3.3kg

**MRP: 12,010/-**



## Pressure Washers

回  
AW 100

1,400W, Max. Pressure 100bar, Max. Water Discharge: 5.5L/min, Hose Length 5m, 5.4kg

**MRP: 10,970/-**



回  
AW 130

1,600W, Max. Pressure 130bar, Max. Water Discharge: 6L/min, Hose Length 10m, 8.3kg

**MRP: 18,300/-**



回  
AW 150

2,000W, Max. Pressure 150bar, Max. Water Discharge: 6.67L/min, Hose Length 10m, 12.4kg

**MRP: 34,320/-**



## Nibbler

回  
CN 16SA

In Steel 1.6mm, Stainless 1.2mm, 400W, 2,300Rpm, 1.6kg

**MRP: 33,960/-**



## Compressor

EC 68

Induction Motor, 1.5hp, 24L, 8bar, 28kg

**MRP: 28,990/-**



## Blower

回 回  
RB 40SA

Air Pressure 5.5Kpa, 3.8m³/min, 550W, 16,000Rpm, 1.7kg

**MRP: 7,010/-**





## Heat Gun

☐  
**RH 600T**



220V-240V, 2,000W,  
2 Heat Settings: 250/500°C  
& 450-600°C, 0.57kg

**MRP: 2,540/-**

## Heat Gun

☐  
**RH 650V**



220V-240V, 2,000W,  
LCD Display With Temp. Buttons,  
5 Stage Switch : 50-650°C,  
In Increments of 10°C, 0.79kg

**MRP: 6,730/-**

## Mixers

☐ ☑ ☒ ☓  
**UM 12VST2**



Max Stirrer Dia 120mm,  
300-650Rpm/150-300Rpm,  
1,200W, 5.4kg

**MRP: 16,200/-**

## Mixers

☐ ☑ ☒ ☓  
**UM 16VST2**



Max Stirrer Dia 160mm,  
300-650Rpm/150-300Rpm,  
1,600W, 5.7kg

**MRP: 18,550/-**

## Drill

☐ ☑ ☒ ☓  
**HMD6A**



Capacity Steel : 6.5mm  
Capacity Wood : 15mm  
Power Input : 320W  
No Load Speed : 0-4,200/min  
Overall Length : 210mm, Weight : 0.9kg

**MRP: 2,750/-**



## Impact Drill

☐ ☑ ☒ ☓  
**HMDV 13A**



Capacity Steel : 13mm  
Capacity Wood : 25mm  
Capacity Concrete : 13mm  
Power Input : 550W  
No Load Speed : 0-3,000/min  
Overall Length : 295mm, Weight : 1.8kg

**MRP: 3,900/-**

## Rotary Hammer

☐ ☑ ☒ ☓  
**HMDH 20A**



Capacity Steel : 13mm  
Capacity Wood : 32mm  
Capacity Concrete : 20mm  
Power Input : 550W  
Bit Shank : SDS Plus  
No Load Speed : 0-1,250/min, Weight : 2.6kg

**MRP: 6,600/-**

## Disc Grinder(4")

☐  
**HMG 10A**



Wheel Outer Dia : 100mm(4")  
Switch Type : Slide  
Spindle Thread : M10  
Power Input : 600W  
No Load Speed : 12,000/min  
Overall Length : 271mm, Weight : 1.7kg

**MRP: 3,000/-**

## Disc Grinder(5")

☐  
**HMG 13A**



Wheel Outer Dia : 125mm(5")  
Switch Type : Slide  
Spindle Thread : M14  
Power Input : 880W  
No Load Speed : 11,000/min  
Overall Length : 271mm, Weight : 1.8kg

**MRP: 4,025/-**

## Disc Grinder

☐  
**HMG 18A NEW**



Wheel Diameter : 180mm  
Spindle Thread : M14  
Power Input : 2,600W  
No Load Speed : 8,400/min  
Overall Length : 485mm  
Weight : 5.8kg

**MRP: 8,700/-**

## Cut-off Machine

☐  
**HMCC 14A NEW**



Wheel Diameter : 355mm  
Power Input : 2,200W  
No Load Speed : 4,200/min  
Dimension (LxWxH) : 570x290x610mm  
Cutting Angle : 0-45°  
Weight : 14.8kg

**MRP: 12,500/-**

## Die Grinder

☐  
**HMG 3A**



Wheel Outer Dia : 25mm  
Hand Capacity : 6mm  
Power Input : 550W  
No Load Speed : 34,000/min  
Overall Length : 379mm  
Weight : 1.7kg

**MRP: 5,175/-**

## Demolition Hammer

☐ ☑ ☒ ☓  
**HMH 60A**



Power Input : 1,500W  
Impact Rate : 1,000-2,050/min  
Overall Length : 594mm  
Weight : 10.6kg

**MRP: 24,000/-**

## Trimmer

☐  
**HMM 6A**



Collet Chuck : 6.35mm  
Power Input : 505W  
No Load Speed : 32,000/min  
Overall Length : 207mm  
Weight : 1.5kg

**MRP: 5,200/-**

## Planer

☐  
**HMP 20A**



Max Cutting Depth : 1mm  
Cutting Width : 80mm  
No Load Speed : 16,500/min  
Power Input : 560W  
Overall Length : 300mm, Weight : 2.6kg

**MRP: 5,700/-**

## Cutter (4")

☐  
**HMCM 4A**



Capacity : 110mm(4")  
Max Cutting Depth : 32mm  
No Load Speed : 13,000/min  
Power Input : 1,300W  
Overall Length : 215.5mm  
Weight : 3.1kg

**MRP: 5,100/-**

## Cutter (5")

☐  
**HMCM 5A**



Capacity : 125mm(5")  
Max Cutting Depth : 39mm  
No Load Speed : 12,000/min  
Power Input : 1,400W  
Overall Length : 223.5mm  
Weight : 3.2kg

**MRP: 5,450/-**

## Blower

☐ ☑ ☒ ☓  
**HMRB 30A**



Air Velocity (With Nozzle) : 0-89m/sec  
Volume Flow (W/o Nozzle) : 0-3.4m<sup>3</sup>/min  
Power Input : 550W  
No Load Speed : 0-16,000/min  
Overall Length : 493mm  
Weight : 1.7kg

**MRP: 3,800/-**

## Cutter (4")

☐  
**HMRH 600A NEW**



Voltage : 230V  
Power Input : 2,000W  
Air Flow : 300/500L/min (2-stage switch)  
Temperature : 450/600°C  
Power Cord Length : 2m  
Dimension (LxWxH) : 220x80x234mm  
Net Tool Weight : 0.45kg

**MRP: 2,269/-**

## Cutter (5")

☐  
**HMSP 18A NEW**



Capacity Sanding Disc : 180mm  
Power Input : 1,200W  
Spindle Thread : M14  
No-load Speed : 600-3,300/min  
Dimension (LxWxH) : 420x116x93mm  
Net Tool Weight : 2.9kg

**MRP: 9,300/-**

























## Blower

☐ ☑ ☒ ☓  
**HMRB 30B NEW**



Air Velocity (With Nozzle) : 89m/sec  
Volume Flow (W/o Nozzle) : 3.4m<sup>3</sup>/min  
Power Input : 500W  
No Load Speed : 16,000/min  
Dimension (LxWxH) : 493x185x184mm  
Weight : 1.7kg

**MRP: 2,722/-**

-  Single Insulation
-  Double Insulation
-  Variable Speed
-  2-Speed Gear
-  Reversible
-  Slip Clutch
-  Spindle Lock
-  Carry Case
-  Electronic Constant Speed control
-  Electronic Soft start Control
-  Multi-Speed Settings
-  Orbital Cutting Action
-  Random Orbit Action
-  Shock-Absorbing Handle Type
-  Dust Extracting Type
-  Rotation & Hammering
-  SDS max Shank
-  SDS plus Shank
-  Hex Shank
-  Blower Function
-  Brake
-  Brake
-  Rotation only
-  Hammering only

**AHS** Aluminium Housing Body  
**Li-ion** Lithium Ion Battery

**12V PEAK**

**TRIPLE HAMMER** Triple Hammer

**IP56** International Protection  
**UVP** User Vibration Protection

**BRUSHLESS** Brushless Motor

**LVH** Low Vibration Handle

Android users can download our **HIKOKI Suvidha App** from QR code



iOS users can use the QR Code



# HIKOKI



#### Head Quarters:

#### Koki Holdings Co., Ltd.

Shinagawa intercity Tower A, 20th Floor, 15-1 Konan 2-chrome, Minato-ku, Tokyo 108-6020 Japan.

Tel: +81-3-5783-0601

Fax: +81-3-5783-0709

Website: [www.hikoki-powertools.com](http://www.hikoki-powertools.com)

#### Registered & Head Office:

#### HiKOKI Power Tools India Pvt. Ltd.

No.11, Old No.9A, 1st Main Road, KIADB Peenya 1st Stage, Bengaluru, Bengaluru Urban - 560058, Karnataka, INDIA.

Tel: 080 - 4117 0777/78 / 2839 6198

Fax: 080 - 4117 1222

Email: [ho.mktg@hikoki-powertools.in](mailto:ho.mktg@hikoki-powertools.in)

WebSite: [www.hikoki-powertools.in](http://www.hikoki-powertools.in)

## MAKE. MOVE. GO

#### BRANCHES

Ahmedabad	: 90999 20372	Guwahati	: 98360 92333
Bangalore	: 90083 04461	Hyderabad	: 98487 12443
Bhubaneshwar	: 98302 00254	Jaipur	: 88240 99593
Chennai	: 99620 92519	Kolkata	: 98311 60116
Cochin	: 95677 61040	Lucknow	: 90267 53265
Delhi	: 97119 18942	Ludhiana	: 76250 01093
Gurgaon	: 97111 92658	Mumbai	: 75960 26989
		Pune	: 97027 86342



For any Customer Support / Service  
**Toll Free Number**

# 18005725726

Timings: 10am to 6pm

Closed on Saturdays / Sundays and Public holidays.

Authorised distributor :